




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61C 15/00, A46B 9/04	A1	(11) International Publication Number: WO 96/20654 (43) International Publication Date: 11 July 1996 (11.07.96)
(21) International Application Number: PCT/US95/16318 (22) International Filing Date: 15 December 1995 (15.12.95) (30) Priority Data: 08/366,789 30 December 1994 (30.12.94) US (71)(72) Applicant and Inventor: SHIPP, Anthony, D. (GB/US); 351 North Pothill Road, Beverly Hills, CA 90210 (US). (74) Agents: BENASSI, John, M. et al.; Lyon & Lyon, Suire 4700; 633 West Fifth Street, Los Angeles, CA 90071-2066 (US).	(81) Designated States: AU, CA, JP, NZ, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published With international search report.	
(54) Title: PROPHY TOOTHBRUSH (57) Abstract A toothbrush (10) for cleaning and polishing teeth includes a handle (12) attached to a brush head (14). Attached to the brush head (14) is at least one prophy cup device (18, 34) for polishing teeth, and a plurality of bristle tufts (26, 28, 30) for scrubbing teeth, the bristle tufts (26, 28, 30) being attached to the brush head (14) and placed about the perimeter of each prophy cup device (18, 34).		



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MTW	Mali
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

DESCRIPTION

Prophy Toothbrush

Background of the Invention

1. Field of Invention

This invention relates generally to toothbrushes used for the cleaning of teeth and gums.

5 2. Background Information

Cleaning of teeth is very important because unclean teeth are primarily responsible for the most common disease encountered in human and animal medicine -- gingivitis and periodontal disease (or periodontitis).
10 Periodontal disease is a term used to describe diseases of the tooth attachment apparatus, the gums, tooth roots, bone surrounding the teeth, and the periodontal ligament tissue joining tooth to bone. Symptoms range from gum inflammation (gingivitis), formation of plaque (food and
15 bacteria), and bad breath (halitosis), to serious accumulation of tartar (mineralized plaque), bleeding, receded or eroded gums, loose or infected teeth, and eventual loss of teeth. Periodontal disease is also the major cause of bad breath in human beings, dogs, and cats. If untreated,
20 periodontal disease often leads to severe damage of major organ systems, and can shorten the life of the afflicted animal. Thus, teeth cleaning is essential to good health.

When teeth are cleaned by a dentist or dental hygienist, generally instruments such as scalers and curettes
25 are used initially to clean the crown and subgingival (under the gums) portions of the tooth. After this cleaning has been performed, a prophylaxis polishing cup or "prophy cup", mounted on a low-speed dental handpiece is employed. The prophy cup is typically made of a soft
30 rubber-like material and contains at least one central cavity portion that is loaded with pumice paste or another similar abrasive. The prophy cup is then held against the

surface of a tooth while being mechanically rotated, e.g., by the dental handpiece. This procedure forces the pumice abrade across the surface of the tooth, thereby polishing the tooth, leaving as smooth a surface as possible. A smooth toothsurface helps reduce future plaque and calculus (tartar) build up. Plaque builds up within hours of tooth brushing and the smoother the surface of the tooth, the longer it takes for plaque to adhere to the tooth.

Normal dental hygiene is then continued outside of the dental office and includes regular brushing of the teeth with a sh. This brushing typically occurs one to three times a day. Before brushing, toothpaste is placed on top of the bristles on the toothbrush. During brushing, the bristles of the toothbrush act to scrub the teeth. The use of toothbrushes for dental hygiene has been described in U.S. Patent No. 4,738,001, which is incorporated herein by reference.

The above described conventional dental hygiene program suffers from a number of major disadvantages. During the brushing process, the toothbrush bristles generally do not follow the contours of teeth as closely as the soft, rubber-like prophylaxis cup. Therefore, the teeth are not left with a surface that is as smooth as desired and the detrimental early onset of periodontal disease is encouraged.

Further, during the toothbrushing process, upon contact of toothpaste covered bristles with teeth, the toothpaste is spread into the mouth and between the toothbrush bristles, and does not concentrate its effect directly on the teeth in contact bristles. Therefore, the toothpaste does not act as effectively as it could.

Also, often times conventional toothbrushes are designed with relatively thick bristles which can cause problems with sensitive gums and teeth. Since gingivitis and periodontal disease often starts in the area below the gum line, the cleaning of this area is extremely important.

Therefore, a need was perceived for a toothbrush that would clean teeth and gums, and in the process leave the teeth with a smoother surface than conventional toothbrushes, make more effective use of toothpaste, and
5 improve the cleaning of the area below the gum line.

Summary of the Invention

The present invention is directed to a toothbrush that satisfies the foregoing need for improved dental cleaning. A toothbrush having features of the present
10 invention comprises a platform upon which to mount a prophylactic cup device and bristle tufts. In the preferred embodiment, the platform comprises a handle having a longitudinal axis, and a brush head, the brush head being attached to the handle. At least one prophylactic cup device
15 made of a flexible, rubber-like material is attached to the brush head. The sides of the prophylactic cup device extend from the head. The prophylactic cup device has at least one central cavity portion allowing for placement of tooth cleaning material, such as toothpaste, in at least one
20 central cavity. The soft rubber-like prophylactic cup device follows the contours of teeth more effectively than bristles, and provides for polishing of the teeth. Each central cavity portion of the prophylactic cup device holds more toothpaste for a longer period of time than a conventional
25 toothbrush, providing for more effective use of the toothpaste. In the preferred embodiment, the prophylactic cup device contains vanes extending from the sides of the prophylactic cup device into each central cavity and the prophylactic cup device generally has a shape similar to the brush head.

30 Also secured to the brush head is a plurality of bristle tufts. Each bristle tuft comprises a plurality of individual bristles. The bristle tufts are spaced apart and are placed about the perimeter of the prophylactic cup device. The bristle tufts also extend from the brush head
35 to above the prophylactic cup device. This arrangement of bristle tufts and the prophylactic cup device provides for both

bristles that scrub the surface of and in between teeth, as well as a soft rubber-like element that polishes and smoothes the surface of the teeth. In the preferred embodiment, the individual bristles are made of a synthetic material, preferably nylon, and are approximately 0.005 to 0.006 inches in diameter to ensure softness when in contact with the gums, and to clean the area under the gums. These bristles are soft and are less likely to cause pain to sensitive gums than thicker bristles.

10 In another inventive aspect of the preferred embodiment, some of the bristle tufts are arranged such that a single row of lateral bristle tufts is placed about, and substantially symmetrical to, each side of the prophylaxis cup device, along lines substantially parallel to the longitudinal axis of the handle. Additionally, a cluster of trailing bristle tufts is placed on the end of the brush head most distal from the handle, both of these clusters extending towards the prophylaxis cup device. The leading and trailing bristle tufts are longer than the lateral bristle tufts. This positioning and extra length of the leading and trailing tufts allows these tufts to advance and follow between teeth. The leading bristle tufts, being longer, will also aid in more effective cleaning of the most distal (posterior) teeth, which can be difficult to reach with a toothbrush.

Accordingly, it is an object of the present invention to provide an improved toothbrush for scrubbing and polishing of teeth and the cleaning of gums. Other and further objects and advantages will appear hereinafter.

30 Brief Description of the Drawings

It is to be understood that the accompanying drawings are provided for the purpose of illustration only, and are not intended as a definition of the limits of the invention. The drawings schematically illustrate a preferred embodiment of the present invention in which:

FIG. 1 is a top plain view of a prophylactic toothbrush in accordance with the preferred embodiment;

FIG. 2 is a partial cutaway side elevation view of the prophylactic toothbrush in accordance with the preferred embodiment, illustrating the positioning of a prophylactic cup device relative to a cluster of leading bristle tufts and a cluster of trailing bristle tufts;

FIG. 3 is a side elevation view of the prophylactic toothbrush in accordance with the preferred embodiment, illustrating the positioning of a row of lateral bristle tufts relative to the leading bristle tufts and trailing bristle tufts, as well as the prophylactic cup device.

FIG. 4 is a top plan view of a prophylactic toothbrush, illustrating an embodiment of the prophylactic toothbrush employing substantially cylindrical shaped prophylactic cup devices.

FIG. 5 is a partial cutaway perspective view of the prophylactic toothbrush of FIG. 4 illustrating the substantially cylindrical shaped prophylactic cup devices.

Detailed Description of the Preferred Embodiment

Referring to the drawings, FIG. 1 shows a toothbrush 10, comprised of a handle 12, and a brush head 14 connected to the handle. The handle 12 is relatively long and narrow, allowing it to be easily manipulated. The handle has a longitudinal axis 16. In the preferred embodiment, the brush head 14 is of a generally rectangular shape. It would be apparent to one skilled in the art however, that the brush head 14 could be formed in other shapes such as trapezoids, ovals, and circles.

Secured to the brush head 14 is a prophylactic cup device 18. The cup device 18 is made of a soft, flexible rubber, or rubber-like material. In the preferred embodiment the prophylactic cup 18 is generally of a similar shape to the brush head 14, that shape being generally rectangular. The prophylactic cup device 18 also has 20 sides extending from the brush head 14. The prophylactic cup device 18 also has at least

one central cavity portion 22 into which toothpaste or other tooth cleaning material may be placed.

In the preferred embodiment, the prophy cup device 18 also contains a plurality of vanes 24 extending from the sides 20 of the prophy cup device 18 into at least one central cavity portion 22. These vanes 24 serve to retain tooth cleaning material and increase the cleaning surface area of the prophy cup device 18. These vanes 24 also add structural stability to the prophy cup device 18. The use of vanes, or "ribs" as they are sometimes characterized, in prophy cups has been described in U.S. Patents 4,929,180 and 5,348,473, which are incorporated herein by reference.

In the preferred embodiment, one prophy cup device 18 of a generally rectangular shape is employed. As shown in FIG. 1, the rectangular prophy cup device 18 is divided into a number of smaller rectangular sections 32, each of these sections having a central cavity portion 22. However, the invention may be made with other configurations of prophy cup devices 18. For example, one or more prophy cup devices 18 may be used to provide the advantages of the prophy cup device 18, i.e., retaining tooth cleaning material and increasing the surface area contacting teeth. FIG. 4 and FIG. 5 illustrate the use of three substantially cylindrical shaped prophy cup devices 34 instead of a single substantially rectangular shaped prophy cup device. In embodiment shown, the substantially cylindrical shaped prophy cup devices 34 also contain vanes 24 and central cavity portions 22. In alternative embodiments (not shown), substantially conical shaped prophy devices could be employed as well.

As shown in FIG. 1, also secured to the brush head 14 are a plurality of bristle tufts. The bristle tufts are placed around the perimeter of the sides 20 of the prophy cup device 18. Each bristle tuft is composed of a plurality of individual bristles (not shown). In the preferred embodiment, these individual bristles are made of syn-

thetic material, preferably nylon, and are approximately 0.006 to 0.0006 inches in diameter. This bristle diameter allows the bristles to bend easily and causes the bristles to be gentle on the gum.

5 In the preferred embodiment, some bristle tufts are placed such that a row of lateral bristle tufts 26 is placed about and substantially symmetrically to sides of the prophylactic cup device 18, along lines substantially parallel to the longitudinal axis 16 of handle 12. As
10 shown in FIG. 3, these lateral bristle tufts 24 extend above the prophylactic cup device 18, the amount of extension approximately 1.5 to 2 millimeters. Thus, the lateral tufts 26 contact and scrub teeth during brushing before the prophylactic cup device 18 contacts the teeth.

15 Additional bristle tufts are placed on ends of the brush both most proximal to and most distal from the handle 12. Leading bristle tufts 28 are placed distal from the handle 12, and, as shown in FIG. 3, extend above the lateral bristle tufts 26. Trailing bristle tufts 30
20 placed proximal to the handle 12, also extend above the lateral bristle tufts 26. Of course, as shown in FIG. 2, both the leading bristle tufts 28 and trailing tufts 30 extend above the prophylactic cup device 18.

To facilitate a greater understanding of the advantages of the illustrated preferred embodiment, operation of the toothbrush 10 is set forth as follows. To perform
25 brushing, toothpaste or other tooth cleaning material is first placed so that it covers both the prophylactic cup device 18 and bristle tufts. Then, typically while holding the
30 handle 12, the bristle tufts, lateral 26, leading 28, and trailing 30, are pressed against the teeth, and moved in a conventional tooth brushing manner. The bristle tufts scrub the surface of the teeth and between teeth. The leading tufts 28 and trailing bristle tufts 30, being
35 longer than the lateral bristle tufts 26, advance and follow between teeth, and are of special utility in cleaning the harder to reach posterior teeth. As the tooth-

brush 10 is pressed harder against the teeth, the prophy cup device 18 presses against the teeth, following the contour of the teeth, applying toothpaste to the teeth and thereby polishing the teeth. Thus, the combination of
5 scrubbing and polishing the teeth provides a smoother, cleaner surface than is provided by some other means. Additionally, the sides 20 of the prophy cup device 18 synergistically cooperate with the bristle tufts, tending to force lateral bristle tufts 26 away from the prophy cup
10 18 and towards and under the gum line, cleaning under the gum line.

Thus, an innovative prophy tooth brush, and a method for using the same have been disclosed. While variations of the illustrated preferred embodiment have been shown
15 and described, it would be apparent to those skilled in the art that many more modifications are possible without departing from the inventive concepts herein. For example, instead of mounting the prophy cup device 18 and bristle tufts on a brush head 14 connected to a handle 12,
20 the prophy cup device 18 and bristle tufts could be mounted to a platform (not shown) without a handle 12. Further, the bristle tufts could be placed in various arrangements on the platform or brush head 14. For example, instead of being placed about the prophy cup
25 device 18, the bristle tufts could be placed on just one side of the prophy cup device 18. The invention, therefore, is not to be restricted except in the spirit of the appended claims.

I claim:

1. A toothbrush for cleaning teeth and below gum line, the toothbrush comprising:
 - (a) a platform;
 - 5 (b) at least one prophy cup device secured to the platform, each prophy cup device comprising
 - (1) sides extending from the brush head, and
 - (2) at least one central cavity portion allowing for placement of tooth cleaning material therein; and,
 - 10 (c) a plurality of bristle tufts secured to the platform, the bristle tufts comprising a plurality of individual bristles, for closely following and cleaning the surface of teeth cleaning under the gumline.
- 15 2. A toothbrush as claimed in claim 1 wherein each prophy cup device further comprises a plurality of vanes extending from the sides of each prophy cup device into each central cavity of each prophy cup device for retaining tooth cleaning in each prophy cup device and for providing additional cleaning surface area in each prophy
20 cup device.
3. A toothbrush as claimed in claim 1 wherein each prophy cup device is of substantially rectangular shape.
4. A toothbrush as claimed in claim 1 wherein each prophy cup device is made of flexible rubber-like
25 material.
5. A toothbrush as claimed in claim 1 wherein the least one prophy cup device comprises a single prophy cup device.
6. A toothbrush as claimed in claim 1 wherein each
30 prophy cup device is of substantially cylindrical shape.

7. A toothbrush as claimed in claim 1 wherein each prophylactic cup device is of substantially conical shape.

8. A toothbrush as claimed in claim 1 wherein the individual bristles are made of nylon.

5 9. A toothbrush as claimed in claim 1 wherein the bristle tufts are placed at least about a portion each prophylactic cup device.

10. A toothbrush as claimed in claim 1 wherein the bristle tufts extend above each prophylactic cup device.

10 11. A toothbrush for cleaning teeth and below the gum line, the toothbrush comprising:

- (a) a handle;
- (b) a brush head connected to the handle;
- (c) at least one prophylactic cup device secured to the
15 brush head, each prophylactic cup device comprising
 - (1) sides extending from the brush head, and
 - (2) at least one central cavity portion allowing for placement of tooth cleaning material therein; and
- (d) a plurality of bristle tufts secured to the
20 brush head, the bristle tufts comprising a plurality of individual bristles, and being placed at least about a portion of the perimeter of each prophylactic cup device for closely following and cleaning the surface of teeth and for cleaning under the gumline.

25 12. A toothbrush as claimed in claim 11 wherein each prophylactic cup device further comprises a plurality of vanes extending from the sides of each prophylactic cup device into central cavity portion of each prophylactic cup device for retaining tooth cleaning material and for providing additional
30 cleaning surface area in each prophylactic cup device.

11

13. A toothbrush as claimed in claim 11 wherein each prophy cup device is of substantially rectangular shape.

14. A toothbrush as claimed in claim 11 wherein each prophy cup device is made of flexible rubber-like material.

15. A toothbrush as claimed in claim 11 wherein at least one prophy cup device comprises a single prophy cup device.

16. A toothbrush as claimed in claim 11 wherein each prophy cup device is of substantially cylindrical shape.

17. A toothbrush as claimed in claim 11 wherein each prophy cup device is of substantially conical shape.

18. A toothbrush as claimed in claim 11 wherein the individual bristles have a diameter in the range of 0.005 to 0.006 inches to ensure softness when in contact with gums and to clean below the gum line.

19. A toothbrush as claimed in claim 11 wherein the bristle tufts comprise:

(a) a plurality of leading bristle tufts positioned from the handle; and

(b) a plurality of trailing bristle tufts positioned proximal to the handle.

(c) a plurality of lateral bristle tufts positioned between the leading bristle tufts and the trailing bristle tufts, the leading bristle tufts and trailing bristle tufts being longer than the lateral bristle tufts for effective cleaning of teeth which are difficult to reach with the toothbrush.

20. A toothbrush as claimed in claim 11 wherein the individual bristles are made of nylon.

21. A toothbrush as claimed in claim 11 wherein the bristle tufts extend above each prophylaxis cup device.

22. A toothbrush for brushing teeth and gums of human and animals, the toothbrush comprising:

- 5 (a) a long and narrow handle having a longitudinal axis;
- (b) a brush head connected to the handle, the brush head having an end proximal to the handle and an end distal from the handle;
- 10 (c) prophylaxis cup device, made of flexible rubber-like material, secured to the brush head, the prophylaxis cup device comprising
 - (1) sides extending from the brush head,
 - (2) a central cavity portion allowing for placement
 - 15 of tooth cleaning material therein, and
 - (3) a plurality of vanes extending from the sides of the prophylaxis cup device into the central cavity portion;
 - (d) a plurality of lateral bristle tufts secured to the brush head, the lateral bristle tufts comprising a
 - 20 plurality of individual nylon bristles, the lateral bristle tufts extending above the prophylaxis cup device and placed in at least one row on the sides of the prophylaxis cup device along lines parallel to the longitudinal axis of the handle;
 - 25 (e) a plurality of leading bristle tufts secured to the brush head, the leading bristle tufts comprising a plurality of individual nylon bristles, the leading bristle tufts extending above the lateral bristle tufts and placed on the end of the brush head distal from the
 - 30 handle; and
 - (f) a plurality of trailing bristle tufts secured to the brush head, the trailing bristle tufts comprising a plurality of individual nylon bristles, the trailing bristle tufts extending above the lateral bristle tufts
 - 35 and placed on the end of the brush head proximal to the handle.

23. A process for brushing teeth and gums of human beings and animals, the steps of the process comprising

(a) obtaining a toothbrush, the toothbrush comprising

5 (1) a platform;

(2) at least one prophy cup device secured to the platform, each prophy cup device comprising

(i) sides extending from the brush head, and

10 (ii) at least one central cavity portion for allowing for placement of tooth cleaning material therein; and,

(3) a plurality of bristle tufts secured to the platform, the bristle tufts comprising a plurality of individual bristles, for closely following and cleaning the surface of teeth and for cleaning under the gumline of
15 teeth; the process further comprising the steps of:

(b) placing tooth cleaning material in each prophy cup device and bristle tufts;

(c) pressing each prophy cup and the bristles tufts against the teeth and brushing the teeth.




Fig. 1

SUBSTITUTE SHEET (RULE 26)




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US95/16318

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : A61C 15/00; A46B 9/04

US CL : 433/216, 1; 15/110, 167.1, 188, Dig. 5; 601/141

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 433/216, 1; 15/110, 167.1, 167.2, 186-188, Dig. 5; 401/268; 601/139, 141

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
NONEElectronic data base consulted during the international search (name of data base and, where practicable, search terms used)
NONE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X -- Y	US, A, 1,268,544 (CATES) 04 June 1918, see entire document.	1,4,9,11,14 ----- 6,7,16,17, 23
X -- Y	US, A, 2,312,828 (ADAMSSON) 02 March 1943, see figure 6 and page 1, lines 48-55.	1,3-5,9-11, 13-15,21 ----- 2,8,12,18, 20,23
Y	US, A, 1,965,009 (STEVENS) 03 July 1934, see figure 6.	7,17
Y	US, A, 2,545,814 (KEMPSTER) 20 March 1951, see entire document.	2,12

☒ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents:	"X"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"K"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document published on or after the international filing date	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"I" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"A"	document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means		
"P" document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search


26 FEBRUARY 1996

Date of mailing of the international search report

04 APR 1996

 Name and mailing address of the ISA/US
 Commissioner of Patents and Trademarks
 Box PCT
 Washington, D.C. 20231

Facsimile No. (703) 305-3230

 Authorized officer 
 MARK SPISICH

Telephone No. (703) 308-0861

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US95/16318

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US, A, 3,007,441 (EYER) 07 November 1961, see entire document.	6,16
Y	US, A, 4,053,959 (WILEY) 18 October 1977, see entire document.	8,18,20
A	US, A, 1,188,823 (PLANK) 27 June 1916.	
A	US, A, 1,598,224 (VAN SANT) 31 August 1926.	
A	US, A, 2,059,914 (ROSENBERG) 03 November 1936.	
A	FR, A, 642,228 (ROUTURIER) 24 August 1928.	